






BEALE STREET AUDIO
Get Reale. Get Beale.™
Home
Output Configurations
Power Saving
Network Configuration
Password Settings
About
DSP
PRESET Manual
AMP 19.6°C
FAN 0 %
Protected
BAV4250 -64.-88.0.-72
System Uptime: 0d,0:3:17
Input Matrix
In
Out
Mixer
Out Lvl 1
Out Lvl 2
Out Lvl 3
Out Lvl 4
-37.5
-38
-35.5
-35
Level Meter
In
-84 -80 -98 -71
Out
-99 -99 -99 -99



192.168.0.184
Not secure | 192.168.0.184
BEALE STREET AUDIO
Get Reale. Get Beale.™
Home
Output Configurations
Power Saving
Network Configuration
Password Settings
About
DSP
PRESET Manual
AMP 21.1°C
FAN 0 %
Protected
BAV4250 -64.-88.0.-72
System Uptime: 0d,0:4:33
HPF
TONE
LIMITER
HPF 200 Hz
Treble 1 dB
Bass 0 dB
Limit Active
HPF 30 Hz
Treble -11.9 dB
Bass 2.4 dB
Limit Active
HPF 70 Hz
Treble 0 dB
Bass 0 dB
Limit Active
HPF 70 Hz
Treble 0 dB
Bass 0 dB
Limit Active
Type here to search
10:35 AM
10/7/2019



192.168.0.184
Not secure | 192.168.0.184
DSP
PRESET
Manual
AMP
21.5°C
FAN
0 %
Protected
BAV4250
-64.-88.0.-72
System Uptime: 0d.0:4:53
BEALE STREET AUDIO
Get Reale. Get Beale.™
Home
Output Configurations
Power Saving
Network Configuration
Password Settings
About
1
2
3
4
Freq
1506 Hz
Gain
11.8 dB
Q
1.9
Peak
1
Freq
13474 Hz
Gain
-1.5 dB
Q
6.4
LPF
2
Freq
18789 Hz
Gain
-11.7 dB
Q
0.7
LPF
Peak
Treble
Bass
notch
LPF
HPF
Type here to search
17%
10:36 AM
10/7/2019



192.168.0.184
Not secure | 192.168.0.184
DSP
PRESET
Manual
AMP
21.9°C
FAN
0 %
Protected
BAV4250
-64.-88.0.-72
System Uptime: 0d.0:5:4
BEALE STREET AUDIO
Get Reale. Get Beale.™
Home
Output Configurations
Power Saving
Network Configuration
Password Settings
About
TO AMP
Select Preset
1: Default
Edit Name
SAVE PRESET
LOAD PRESET
RESET PRESET
TO COMPUTER
SAVE
LOAD
Reset Settings
Type here to search
16%
10:36 AM
10/7/2019


192.168.0.184
Not secure | 192.168.0.184
BEALE STREET AUDIO
Get Reale. Get Beale.™
Home
Output Configurations
Power Saving
Network Configuration
Password Settings
About
Output Configurations
1
4-8 Ohm
70V
100V
2
4-8 Ohm
70V
100V
3
4-8 Ohm
70V
100V
4
4-8 Ohm
70V
100V
Type here to search
16%
10:36 AM
10/7/2019


192.168.0.184
Not secure | 192.168.0.184
BEALE STREET AUDIO
Get Reale. Get Beale.™
Home
Output Configurations
Power Saving
Network Configuration
Password Settings
About
Power Saving
ON
AUTO
Type here to search
16%
10:36 AM
10/7/2019


192.168.0.184
Not secure | 192.168.0.184
BEALE STREET AUDIO
Get Reale. Get Beale.™
Network Configuration
MAC Address: 80 : 1F : 12 : 11 : DD : 7B
Host Name: BAV4250
Enable DHCP
IP Address: 192 . 168 . 0 . 184
Gateway: 192 . 168 . 0 . 1
Subnet Mask: 255 . 255 . 255 . 0
Primary DNS: 192 . 168 . 0 . 1
Secondary DNS: 0 . 0 . 0 . 0
Restart Interface
Home
Output Configurations
Power Saving
Network Configuration
Password Settings
About
Type here to search
16%
10:37 AM
10/7/2019


192.168.0.184
Not secure | 192.168.0.184
BEALE STREET AUDIO
Get Reale. Get Beale.™
Password Settings
New Password:
Reenter Password:
Save Password
Home
Output Configurations
Power Saving
Network Configuration
Password Settings
About
Type here to search
16%
10:37 AM
10/7/2019


192.168.0.184
Not secure | 192.168.0.184
BEALE STREET AUDIO
Get Reale. Get Beale.™
About
Unit Model Number: BAV4250
Firmware Version: V0.9.0
Home
Output Configurations
Power Saving
Network Configuration
Password Settings
About
Type here to search
16%
10:37 AM
10/7/2019